

## LED SMD Floodlight Black City Line With PIR Sensor Cable 70 cm



Power







10W

Light color

White  
Light  
(WH)

CE

RoHS



# Technical specifications

Catalog number	5952
Beam angle	120°
Brand	Optonica
Product Code	FL10-B2
Cable	70 cm
Color Designation	White Light (WH)
Correlated Color Temperature	6000K
EAN Code	3800156659520
Energy Consumption	10 kWh/1000h
Energy Efficiency Label	F
Flux	800 Lm
FLUX per watt	80lm/W
Input voltage	AC220-265V
IP	IP65
Items per box	60
Items per pack	1
Instant On	0.1 s
Temperature	-20°C/ +40°C
LED Type	SMD
Life span	25000h
Lumen maintenance at end of service life	70%
Material	Aluminium
Mercury Free	Yes
On/Off Cycles	100 000x
Operating Frequency	50-60Hz
Power	10W
Ra ≥	80
Size of package	115x48x158 mm
Size of product	108x155x55 mm

Warranty	2 Years
Wattage Equivalent	53W
Weight of Product	290 gr.

## LED SMD Floodlight Black City Line With PIR Sensor Cable 70 cm



Power

20W







Light color



Neutral  
White  
(NW)

CE

RoHS





## Technical specifications

Catalog number	5956
Beam angle	120°
Brand	Optonica
Product Code	FL20-B2
Cable	70 cm
Color Designation	Neutral White (NW)
Correlated Color Temperature	4500K
EAN Code	3800156659568
Energy Consumption	20 kWh/1000h
Energy Efficiency Label	F
Flux	1600 Lm
FLUX per watt	80lm/W
Input voltage	AC220-265V
IP	IP65
Items per box	40
Items per pack	1
Instant On	0.1 s
Temperature	-20°C/ +40°C
LED Type	SMD
Life span	25000h
Lumen	70%

maintenance at end of service life	
Material	Aluminium
Mercury Free	Yes
On/Off Cycles	100 000x
Operating Frequency	50-60Hz
Power	20W
Ra ≥	80
Size of package	148x47x183 mm
Size of product	143x180x55 mm
Warranty	2 Years
Wattage Equivalent	107W
Weight of Product	390 gr.

## LED SMD Floodlight Black City Line With PIR Sensor Cable 70 cm



Power

30W







Light color




Neutral  
White  
(NW)

CE

RoHS





## Technical specifications

Catalog number	5959
Beam angle	120°
Brand	Optonica
Product Code	FL30-B2
Cable	70 cm
Color Designation	Neutral White (NW)
Correlated Color Temperature	4500K
EAN Code	3800156659599
Energy Consumption	30 kWh/1000h
Energy Efficiency Label	F
Flux	2400 Lm
FLUX per watt	80lm/W
Input voltage	AC220-265V
IP	IP65
Items per box	20
Items per pack	1
Instant On	0.1 s
Temperature	-20°C/ +40°C
LED Type	SMD
Life span	25000h
Lumen	70%



maintenance at end of service life	
Material	Aluminium
Mercury Free	Yes
On/Off Cycles	100 000x
Operating Frequency	50-60Hz
Power	30W
Ra ≥	80
Size of package	192x40x213 mm
Size of product	187x215x45 mm
Warranty	2 Years
Wattage Equivalent	160W
Weight of Product	570 gr.

## LED SMD Floodlight Black City Line With PIR Sensor Cable 70 cm



Power

50W






Light color




Neutral  
White  
(NW)

CE

RoHS





## Technical specifications

Catalog number	5962
Beam angle	120°
Brand	Optonica
Product Code	FL50-B2
Cable	70 cm
Color Designation	Neutral White (NW)
Correlated Color Temperature	4500K
EAN Code	3800156659629
Energy Consumption	50 kWh/1000h
Energy Efficiency Label	F
Flux	4000 Lm
FLUX per watt	80lm/W
Input voltage	AC220-265V
IP	IP65
Items per box	20
Items per pack	1
Instant On	0.1 s
Temperature	-20°C/ +40°C
LED Type	SMD
Life span	25000h
Lumen	70%

maintenance at end of service life	
Material	Aluminium
Mercury Free	Yes
On/Off Cycles	100 000x
Operating Frequency	50-60Hz
Power	50W
Ra ≥	80
Size of package	222x44x234 mm
Size of product	217x235x45 mm
Warranty	2 Years
Wattage Equivalent	267W
Weight of Product	755 gr.